

TECHNICAL DATA SHEET



KRASO® Casing Type E/FE/M

Application areas

Casing for the installation in waterproof concrete walls for retrofit installation of cables and pipes using a sealing insert.

Technical details

- + Stainless steel true diameter casing for concreting
- + With middle flange (surrounding approx. 10 cm)
- + Incl. 2 KRASO® Covers as an installation aid




Material

Casing*	non-corrosive stainless steel V2A
Middle flange*	non-corrosive stainless steel V2A
Installation cover	PP

*Qualities available on request: non-corrosive stainless steel V4A

TECHNICAL DATA SHEET

KRASO® Casing Type E/FE/M



ID = pipe internal | AD = pipe external | F = middle flange surrounding | L = wall thickness

Item

Casing Type E/FE/M									
ID (mm)	80								
AD (mm)	84								
F (mm)	100								
L (cm)	20	24	25	30	35	36.5	40	45	50
Weight (kg)	3.4	3.5	3.6	3.7	3.9	3.9	4.0	4.2	4.3
Item no.	KEFEMF 080200	KEFEMF 080240	KEFEMF 080250	KEFEMF 080300	KEFEMF 080350	KEFEMF 080365	KEFEMF 080400	KEFEMF 080450	KEFEMF 080500
ID (mm)	100								
AD (mm)	104								
F (mm)	100								
L (cm)	20	24	25	30	35	36.5	40	45	50
Weight (kg)	4.1	4.3	4.3	4.6	4.9	4.9	5.1	5.4	5.6
Item no.	KEFEMF 100200	KEFEMF 100240	KEFEMF 100250	KEFEMF 100300	KEFEMF 100350	KEFEMF 100365	KEFEMF 100400	KEFEMF 100450	KEFEMF 100500

Dimensional and weight data without guarantee • Variations in colour possible • Subject to technical changes • All rights to the drawings and designs are the property of KRASO GmbH & Co. KG • The copying and distribution of drawings and other use require our written consent.

TECHNICAL DATA SHEET

KRASO® Casing Type E/FE/M

Item

Casing Type E/FE/M										
ID (mm)	125									
AD (mm)	129									
F (mm)	100									
L (cm)	20	24	25	30	35	36.5	40	45	50	
Weight (kg)	4.7	5.0	5.1	5.4	5.7	5.8	6.0	6.3	6.6	
Item no.	KEFEMF 125200	KEFEMF 125240	KEFEMF 125250	KEFEMF 125300	KEFEMF 125350	KEFEMF 125365	KEFEMF 125400	KEFEMF 125450	KEFEMF 125500	
ID (mm)	150									
AD (mm)	154									
F (mm)	100									
L (cm)	20	24	25	30	35	36.5	40	45	50	
Weight (kg)	5.1	5.4	5.5	5.9	6.31	6.4	6.6	7.0	7.4	
Item no.	KEFEMF 150200	KEFEMF 150240	KEFEMF 150250	KEFEMF 150300	KEFEMF 150350	KEFEMF 150365	KEFEMF 150400	KEFEMF 150450	KEFEMF 150500	
ID (mm)	200									
AD (mm)	204									
F (mm)	100									
L (cm)	20	24	25	30	35	36.5	40	45	50	
Weight (kg)	6.3	6.8	6.9	7.4	7.9	7.9	8.4	8.9	9.4	
Item no.	KEFEMF 200200	KEFEMF 200240	KEFEMF 200250	KEFEMF 200300	KEFEMF 200350	KEFEMF 200365	KEFEMF 200400	KEFEMF 200450	KEFEMF 200500	

TECHNICAL DATA SHEET

KRASO® Casing Type E/FE/M

Item

Casing Type E/FE/M	ID (mm)	250								
	AD (mm)	254								
	F (mm)	100								
	L (cm)	20	24	25	30	35	36.5	40	45	50
	Weight (kg)	8.7	9.4	9.5	10.4	11.2	11.5	12.0	12.9	13.7
	Item no.	KEFEMF 250200	KEFEMF 250240	KEFEMF 250250	KEFEMF 250300	KEFEMF 250350	KEFEMF 250365	KEFEMF 250400	KEFEMF 250450	KEFEMF 250500
	ID (mm)	300								
	AD (mm)	304								
	F (mm)	100								
	L (cm)	20	24	25	30	35	36.5	40	45	50
Weight (kg)	10.7	11.6	11.8	13.0	14.1	14.5	15.2	16.4	17.5	
Item no.	KEFEMF 300200	KEFEMF 300240	KEFEMF 300250	KEFEMF 300300	KEFEMF 300350	KEFEMF 300365	KEFEMF 300400	KEFEMF 300450	KEFEMF 300500	