



# Utility Connection - Outlets



UTILITY - OUTLETS

## + Floor

KRASO® Builder's Convenience Box - floor - garden - SET

\_\_\_\_\_ 66

## + Wall

KRASO® Builder's Convenience Box - wall - garden

\_\_\_\_\_ 69

## + Accessories

KRASO® BKP - garden - Extension Set

\_\_\_\_\_ 67

Convenience  
for the  
garden:  
multi-  
utility connection -  
outlets



mowing robot



Wi-Fi



e-mobility



lighting



watering



surveillance



pool

UTILITY - OUTLETS




## KRASO® Builder's Convenience Box - floor - garden - SET

For more convenience in the garden!

- + Choose the **KRASO®** Builder's Convenience Box - floor - garden - **SET** for any project in your garden or courtyard: lighting, pool, garden sauna, wall box etc.
- + For buildings without basement: simple and tight routing of electricity, water and telecommunication lines from the utility connection space to the garden!
- + **KRASO® 4 Seal**: exterior sealing of concrete: 10 bar! Radon-tight! Resistant to methane gas!
- + Simple installation due to the stable installation device and visual check of the snap-on socket – helps to avoid installation errors!
- + For flush-mount installation in the base plate – no tripping hazards or wall damages! Including building period protective cover
- + Easy integration of vapour barrier foils due to the roughened trowel flange!
- + Height-adjustable base plate and floor screed
- + Combinable with **KRASO®** Builder's Convenience Box - floor - **SET** as utility connection!
- + Including installation kit with **KRASO® BKP - Sealing Insert - electricity + telecommunication!** clamping range: electricity 25 - 36 mm, telecommunication 2 x 5 - 10 mm, 3 x 7 - 14 mm
- + Optionally available **KRASO® BKP - Sealing Inserts**:
  - **KRASO® BKP - Sealing Insert - electricity/water**
  - **KRASO® BKP - Sealing Insert - telecommunication**
- + DafStB waterproof concrete guideline: stress class 1 + 2, DIN 18533 W1.1-E

all systems can be aligned by 360°





All sections  
can be aligned by  
360°

UTILITY - OUTLETS

**KRASO® BKP - floor - garden - SET** = 1 section  
Adaptable!  
Compatible with further sections,  
also with utility connection **KRASO® BKP - floor - SET**

**KRASO® Builder's Convenience Box - floor - garden - SET LG 5**

single utility connection - outlet for electricity, water or telecommunication for buildings without basement incl. cable protective hose (DN 75, 10 metres), incl. installation kit for electricity + telecommunication | DafStB waterproof concrete guideline: stress class 1 + 2, DIN 18533 W1.1-E

Item	KRASO® BKP - floor - garden - SET - 1-fold
Height-adjustable to TEUF* in mm from ... to ...	1350 - 1400
Height-adjustable to TEFF** in mm from ... to ...	12 - 280
Bending radius in mm	≥ 1000
Dimensions floor screed insert wiping edge in mm	141 x 90
Incl. cable protective hose DN 75 in metres	1 x 10
<b>KRASO® BKP - floor - garden - SET - 1-fold</b>	<b>194 €</b>

**Scope of supply:** KRASO® Builder's Convenience Box - floor - garden - SET - 1-fold with cable protective hose (10 metres)

- foot
  - foot extension
  - pair of supporting bars
  - height-adjustable base plate element 1-fold with gas- and water pressure tight **KRASO® 4 Seal**, trowel flange, visual check of the snap-on socket and pre-installed building period installation cover
  - height-adjustable **KRASO® BKP Floor Screed Insert** with protective cover and lubricant
  - height fixation for **KRASO® BKP Floor Screed Insert**
  - installation instructions
- KRASO® Builder's Convenience Box - floor - SET**
- installation kit including
    - **KRASO® BKP - Sealing Insert - electricity + telecommunication** - clamping range: electricity 25 - 36 mm / telecommunication 2 x 5 - 10 mm, 3 x 7 - 14 mm
      - primary sealing + secondary sealing electricity + telecommunication
      - casing pipe end plugs including
        - end plug electricity + telecommunication
        - hose connection 80
      - a tube of lubricant

\* TEUF = Top Edge Unfinished Floor, \*\* TEFF = Top Edge Finished Floor




**KRASO® BKP - garden - Extension Set LG 5**

for the extension of the cable protective hoses of **KRASO® BKP - floor - garden - SET** and - wall - garden, incl. 10 metres cable protective hose DN 75


Item	KRASO® BKP - garden - Extension Set
<b>KRASO® BKP - garden - Extension Set</b>	<b>60 €</b>

**Scope of supply:** double plug-in sleeve DN 75, 2 sealing rings, 10 metres cable protective hose DN 75

Combinable utility  
connection entries  
and outlets!



UTILITY - OUTLETS



## KRASO® Builder's Convenience Boxes for buildings without basement

The clever combination of utility connection entries and outlets

- + **KRASO® Builder's Convenience Boxes** for buildings without basement can combine utility connection entries and outlets: a clean solution for the utility connection space!
- + Flexible empty pipe systems and cable protective hoses in the **KRASO® Builder's Convenience Boxes** can be aligned in any direction by 360°!
- + Easy installation due to stable installation device and visual check of the snap-on-socket – helps to avoid installation errors!
- + For flush-mount installation in the base plate – no tripping hazards, no wall damages! Including building period protective cover
- + Easy integration of vapour barrier foils due to the roughened trowel flange!
- + Height-adjustable base plate and floor screed
- + Optionally available: **KRASO® BKP - garden - Extension Set!**
- + DafStB waterproof concrete guideline: 1 + 2, DIN 18533 W1.1 -E





mowing robot



Wi-Fi



e-mobility



lighting




watering



surveillance



Pool



## KRASO® Builder's Convenience Box - wall - garden

### More convenience in the garden

- + Choose the **KRASO® Builder's Convenience Box - wall - garden** for any project in your garden or courtyard: lighting, pool, garden sauna, wall box etc.
- + For core drilling and casing DN 200 (199 - 203 mm). For precast walls and in-situ concrete walls!
- + Tight in waterproof concrete structures with stress class 1 (permanently or temporarily pressing water)
- + Radon-tight! Resistant to methane gas!
- + **Torque Control Nut KRASO® DKM**: integrated torque limiter - no torque wrench required!
- + Split end plugs for easy installation!
- + Ready for the utility connection of water, electricity and network lines: tested in accordance with DVGW! Including **KRASO® BKP - Sealing Inserts** for electricity/water (2 x), telecommunication, electricity + telecommunication
- + Optionally available: external sealing element with sealing flange according to DIN 18533! Seal width: 80 mm
- + DafStB waterproof concrete guideline 1 + 2, with optional external sealing element DIN 18533 W1 -E and W2.1 -E

### KRASO® Builder's Convenience Box - wall - garden **LG 5**

multi utility connection for electricity, water or telecommunication for buildings with basement, incl. installation kits for electricity/water (2 x), telecommunication, electricity + telecommunication | **DafStB waterproof concrete guideline: stress class 1 + 2, optional external sealing element DIN 18533 W1 -E and W2.1 -E**

Item	KRASO® BKP - wall - garden
Wall thickness from ... to ... in mm	200 - 500
Diameter core drilling min ... max ... in mm	199 - 203
Length complete system in mm	750
Length x width internal sealing element in mm	225 x 225
Diameter external sealing element (optionally available) in mm	300
Internal diameter casing pipes in mm	68
External diameter casing pipes in mm	75
<b>KRASO® BKP - wall - garden</b>	<b>554 €</b>
Optional external sealing element	<b>225 €</b>

#### Scope of supply:

- **KRASO® Builder's Convenience Box - wall - garden** including
  - internal sealing element with pre-installed casing pipes incl. protective cover for the installation of supply lines such as water, electricity, telecommunication
- installation instructions **KRASO® Builder's Convenience Box - wall**
- installation kits including
  - **KRASO® BKP - Sealing Insert - electricity/water** - 2 pcs. with stepless onion ring technology 26 - 50 mm or blind
    - primary sealing + secondary sealing electricity/water
    - end plug
  - **KRASO® BKP - Sealing Insert - telecommunication** - clamping range: 5 - 13 mm, 3 x 7 - 13 mm, 13 - 21 mm
    - primary sealing + secondary sealing telecommunication
    - end plug
  - **KRASO® BKP - Sealing Insert - electricity + telecommunication** - clamping range: electricity 25 - 36 mm / telecommunication 2 x 5 - 10 mm, 3 x 7 - 14 mm
    - primary sealing + secondary sealing electricity + telecommunication
    - end plug
    - a tube of lubricant
- Optionally available: external sealing element



## KRASO® Mobile

The mobile exhibition stand for your events, in-house exhibitions and campaign days

- + Are you planning an in-house exhibition, an action day, a craftsmen's breakfast or another customised event? We will come to you - with the **KRASO® Mobile**, our mobile exhibition stand - and present **KRASO® Products** and **waterproofing solutions** to your customers!
- + The **KRASO® Mobile** is ready for use as an exhibition stand in just a few minutes: numerous product samples in installation situations, a seating area for in-depth discussions with customers, a large TV screen for presentations!
- + **KRASO® Employees** on site: our waterproofing experts will come to you with the **KRASO® Mobile**, take care of setting up and dismantling and are available to answer all your customers' questions!
- + Information and advertising material: whether information flyers or promotional gifts - the **KRASO® Mobile** has everything a trade fair stand needs
- + Make it easy for yourself: book the **KRASO® Mobile** for your next event – absolutely free of charge! The **KRASO® Mobile** only requires approx. 50 m<sup>2</sup> of floor space and a power connection.



## KRASO®

### Product Trainings

### How to become an expert!

- + We offer regular training courses, where our dealers learn which product provides the right solution for particular sealing situations. At our location in Rhede/North Rhine-Westphalia, participants acquire the necessary knowledge about our products, learn about the areas of application and can discuss with our staff. Afterwards, the participants are real **KRASO® Product Experts** and can provide competent advice on sealing problems and the use of **KRASO® Products**!